

Speed is Power

M3 MOBILE



Product Catalogue
Ver. 2019


www.m3mobile.net

“M3 Mobile is a world class industrial PDA manufacturing company that has been following successful for 19years.
We Do Design, Development, Production, Sales, Maintenance Directly.”


Sung-Jea, Cho

President & CEO, M3 Mobile Co., Ltd.

Corporate History



Global Office



Application Area



Logistics

- Parcel Delivery
- 3PL



Manufacturing

- Vehicle Industry
- Stationary
- Building Yards



Retail

- Stock Management
- Customer Engagement



Government Public

- Meter Reading
- Post Office
- Railway
- Military
- Police Office



ETC.

- Waste Mgmt.
- Survey
- Sports
- Cable TV



Service

- Hospitality
- Asset Management
- Pharmaceutical



SPEED IS POWER
M3

An aerial photograph of a parking lot. A large, leafy green tree is positioned in the lower-left quadrant. To the right of the tree is a large white rectangular box containing the index text. The parking lot surface is asphalt with some stains and cracks. Several cars are parked in the lot, including a white car at the top, a white car on the right, and a red car at the bottom. A person is walking near the base of the tree.

Index

Product Line Up

UL20X, UL20F, UL20W

SM15X, SM15N, SM15W

SM15 Accessory


SL10 Series


BK10 (BLACK)


OX10-1G


PRODUCT LINE UP


Performance characteristics	CPU	
	Operating System	
Physical Characteristics	Memory (RAM/ROM)	
	Dimensions (L x W x D)	
	Weight	
	Display	
	Touchpanel	
	Power (Battery)	Standard Extended
	Hot swap	
	Expansion Slot	
	SIM / SAM	
	Keypad	
	Side Key / Scroll	
	Wireless WAN Data and Voice Communications	Radio Frequency Band
GPS		
Wireless LAN	Radio	
Wireless Pan	Bluetooth	
Wired LAN	Ethernet	
Data Capture	Scanning	
	Camera	
	RFID	
User Environment	Operating Temp.	
	Storage Temp.	
	Humidity	
	Drop Spec.	
	Tumble Spec.	
	Sealing	
Payment	MSR	
	Contact	
	Contactless	
	Security	
Printer	Speed	
	Size	
Accessories		


UL20X

2.2 GHz Octa core
Android 8.1
4 GB / 32 GB
88.7 x 244.75 x 46.19 mm
580 g
5 in. FHD (1920*1080)
Capacitive touch, Glove / Wet / Pen touch
Li-ion 3.6 V / 6,700 mAh
O
Micro SD
2 SIM
35 Key Alpha Numeric Function key pad 6 Side key
Volume / Scan
LTE / UMTS / HSPA+ / GSM / GPRS / EDGE
GPS, A-GPS, GLONASS, BEIDOU
802.11 a / b / g / n / ac
Class II 4.1 LE
O
1D / 2D Imager, Long range Scanner
Rear - 16.0MP Auto Focus
NFC
-20 °C to 60 °C (-4 °F to 140 °F)
-30 °C to 80 °C (-22 °F to 176 °F)
95 % non-condensing
2.0 M
2,000 3.2ft. / 1.0m tumbles
IP67
N / A
N / A
N / A
N / A
N / A
N / A
N / A
N / A
Power Supply, USB Cable, Stylus Pen, Screen Protector, Standard Battery, 2 Slot Cradle, 8 Slot Cradle, Pistol Grip, Snap On, Keypad (These accessories can be changed according to development plan.)


UL20F

2.2 GHz Octa core
Android 8.1
4 GB / 32 GB
88.7 x 244.75 x 46.19 mm
580 g
5 in. FHD (1920*1080)
Capacitive touch, Glove / Wet / Pen touch
Li-ion 3.6 V / 6,700 mAh
O
Micro SD
N / A
35 Key Alpha Numeric Function key pad 6 Side key
Volume / Scan
N / A
N / A
802.11 a / b / g / n / ac
Class II 4.1 LE
O
1D / 2D Imager, Long range Scanner
Rear - 16.0MP Auto Focus
NFC
-30 °C to 60 °C (-22 °F to 140 °F)
-40 °C to 80 °C (-40 °F to 176 °F)
95 % non-condensing
2.0 M
2,000 3.2ft. / 1.0m tumbles
IP67
N / A
N / A
N / A
N / A
N / A
N / A
N / A
N / A
Power Supply, USB Cable, Stylus Pen, Screen Protector, Standard Battery, 2 Slot Cradle, 8 Slot Cradle, Pistol Grip, Snap On, Keypad (These accessories can be changed according to development plan.)


UL20W

2.0 GHz Octa core
Android 8.1
2 GB / 16 GB
88.7 x 244.75 x 46.19 mm
580 g
5 in. FHD (1920*1080)
Capacitive touch, Glove / Wet / Pen touch
Li-ion 3.6 V / 6,700 mAh
O
Micro SD
N / A
35 Key Alpha Numeric Function key pad 6 Side key
Volume / Scan
N / A
N / A
802.11 a / b / g / n / ac
Class II 4.1 LE
O
1D / 2D Imager, Long range Scanner
Rear - 13.0MP Auto Focus
NFC
-20 °C to 60 °C (-4 °F to 140 °F)
-30 °C to 80 °C (-22 °F to 176 °F)
95 % non-condensing
2.0 M
2,000 3.2ft. / 1.0m tumbles
IP67
N / A
N / A
N / A
N / A
N / A
N / A
N / A
Power Supply, USB Cable, Stylus Pen, Screen Protector, Standard Battery, 2 Slot Cradle, 8 Slot Cradle, Pistol Grip, Snap On, Keypad (These accessories can be changed according to development plan.)


SL10

1.5 GHz Quad core
Android 8.1
2 GB / 16 GB
155.8 x 72 x 25 mm
260 g
5 in. HD (1280*720)
Capacitive touch
Li-ion 3.6 V / 4,000 mAh
X
Micro SD
1 SIM
4 Front Key
Volume / Scan / Cam
LTE / WCDMA / TD-SCDMA / GSM
GPS, support: GLONASS
802.11 a / b / g / n
Class I 4.1 LE
X
1D / 2D
Rear - 8MP Auto Focus
NFC
-10 °C to 50 °C (14 °F to 122 °F)
-30 °C to 70 °C (-22 °F to 158 °F)
95 % non-condensing
1.2 M
N / A
IP65
N / A
N / A
N / A
N / A
N / A
N / A
Power Supply, USB Cable, Standard Battery, 2 Slot Cradle, 8 Slot Cradle, Pistol Grip


SL10K

1.5 GHz Quad core
Android 8.1
2 GB / 16 GB
155.8 x 72 x 25 mm
260 g
4" WVGA (800*480)
Resistive touch
Li-ion 3.6 V / 4,300 mAh
X
Micro SD
1 SIM
17 Key Numeric 4 Side Key
Volume / Scan
LTE / WCDMA / TD-SCDMA / GSM
GPS, support: GLONASS
802.11 a / b / g / n
Class I 4.1 LE
X
1D / 2D
Rear - 8MP Auto Focus
NFC
-10 °C to 50 °C (14 °F to 122 °F)
-30 °C to 70 °C (-22 °F to 158 °F)
95 % non-condensing
1.2 M
N / A
IP65
N / A
N / A
N / A
N / A
N / A
N / A
Power Supply, USB Cable, Standard Battery, 2 Slot Cradle, 8 Slot Cradle, Pistol Grip

SM15X

2.2GHz Octa Core
Android 7.1 Nougat Android 8.X is scheduled
4GB / 32GB
154.8 x 76.4 x 21.6mm
280g / 9.8 oz. (incl. Standard BAT) 310g / 10.9 oz. (incl. Extended BAT)
5" FHD (1920*1080)
Corning Gorila Glass 3 Capacitive multi-touch / Glove, Wet, Stylus
Li-Ion 3.8V, 4,100mAh Li-Ion 3.8V, 6,150mAh
O
Micro SD
2 SIM or 1 SIM/1SAM
4 Front Key 5 Side Key
VOLUME / SCAN /CAM
LTE / UMTS/HSPA+ / GSM/GPRS/EDGE
GPS, A-GPS, GLONASS, BEIDOU
802.11 a/b/g/n/ac
Class II V4.1 LE
O
1D / 2D
Front - 5MP Auto Focus Rear - 16MP Auto Focus
NFC
- 20 to 60°C / - 4 to 140°F
- 30 to 80°C / - 22 to 176°F
95 % non-condensing
1.2M 1.8M(with protective boots)
500 1.6ft./0.5m tumbles (1,000 drops) 1,000 1.6ft./0.5m tumbles (2,000 drops) (with protective boots)
IP65
N/A
N/A
N/A
N/A
N/A
N/A
Power Supply, USB Cable, Stylus pen, Vehicle cradle, Protective Boot, Screen Protector, Standard Battery, Extended Battery, NFC Battery cover, 2 Slot Cradle, 8 Slot Cradle, 2 Slot Ethernet Cradle, 2 Slot HDMI Cradle, 8Slot Ethernet Cradle, Scanning Trigger, UHF Gun Reader, UHF Snap On, USB Charging Snap On

SM15N

2.0GHz Octa Core
Android 7.1 Nougat Android 8.X is scheduled
2GB / 16GB
154.8 x 76.4 x 21.6mm
280g / 9.8 oz. (incl. Standard BAT) 310g / 10.9 oz. (incl. Extended BAT)
5" HD (1280*720)
Corning Gorila Glass 3 Capacitive multi-touch / Glove, Wet, Stylus
Li-Ion 3.8V, 4,100mAh Li-Ion 3.8V, 6,150mAh
O
Micro SD
2 SIM or 1 SIM/1SAM
4 Front Key 5 Side Key
VOLUME / SCAN /CAM
LTE / UMTS/HSPA+ / GSM/GPRS/EDGE
GPS, A-GPS, GLONASS, BEIDOU
802.11 a/b/g/n/ac
Class II V4.1 LE
O
1D / 2D
Front – N/A Rear - 13MP Auto Focus
NFC
- 20 to 60°C / - 4 to 140°F
- 30 to 80°C / - 22 to 176°F
95 % non-condensing
1.2M 1.8M(with protective boots)
500 1.6ft./0.5m tumbles (1,000 drops) 1,000 1.6ft./0.5m tumbles (2,000 drops) (with protective boots)
IP65
N/A
N/A
N/A
N/A
N/A
N/A
Power Supply, USB Cable, Stylus pen, Vehicle cradle, Protective Boot, Screen Protector, Standard Battery, Extended Battery, NFC Battery cover, 2 Slot Cradle, 8 Slot Cradle, 2 Slot Ethernet Cradle, 2 Slot HDMI Cradle, 8Slot Ethernet Cradle, Scanning Trigger, UHF Gun Reader, UHF Snap On, USB Charging Snap On

SM15W

2.0GHz Octa Core
Android 7.1 Nougat Android 8.X is scheduled
2GB / 16GB
154.8 x 76.4 x 21.6mm
280g / 9.8 oz. (incl. Standard BAT) 310g / 10.9 oz. (incl. Extended BAT)
5" HD (1280*720)
Corning Gorila Glass 3 Capacitive multi-touch / Glove, Wet, Stylus
Li-Ion 3.8V, 4,100mAh Li-Ion 3.8V, 6,150mAh
O
Micro SD
N/A
4 Front Key 5 Side Key
VOLUME / SCAN /CAM
N/A
802.11 a/b/g/n/ac
Class II V4.1 LE
O
1D / 2D
Front – N/A Rear - 13MP Auto Focus
NFC
- 20 to 60°C / - 4 to 140°F
- 30 to 80°C / - 22 to 176°F
95 % non-condensing
1.2M 1.8M(with protective boots)
500 1.6ft./0.5m tumbles (1,000 drops) 1,000 1.6ft./0.5m tumbles (2,000 drops) (with protective boots)
IP65
N/A
N/A
N/A
N/A
N/A
N/A
Power Supply, USB Cable, Stylus pen, Vehicle cradle, Protective Boot, Screen Protector, Standard Battery, Extended Battery, NFC Battery cover, 2 Slot Cradle, 8 Slot Cradle, 2 Slot Ethernet Cradle, 2 Slot HDMI Cradle, 8Slot Ethernet Cradle, Scanning Trigger, UHF Gun Reader, UHF Snap On, USB Charging Snap On

BK10

1GHz
Windows Embedded Handheld 6.5 Windows CE 6.0
512 MB / 8GB
75.3 x 165.8 x 26 mm
322g / 11.7 oz. (incl. Standard BAT) 336g / 11.8 oz. (incl. Extended BAT)
3.5" VGA (480*640) QVGA (240*320)
Resistive touch
Li-Polymer 3.7V, 3,400mAh Li-Polymer 3.7V, 5,100mAh
O
Micro SD
1 SIM
34 Key Alpha Numeric, 5 Side Key 53 Key Qwerty, 5 Side Key
VOLUME / SCAN /CAM
UMTS/HSPA+ GSM/GPRS/EDGE
AGPS ,GLONASS
802.11 a/b/g/n
Class II v2.1 with EDR
O
1D/2D
Rear - 5.0 MP Auto focus
N/A
- 20 to 60°C / - 4 to 140°F
- 30 to 80°C / - 22 to 176°F
95 % non-condensing
2M / 6.6ft
2,000 1.6ft./0.5m tumbles (4,000 drops)
IP65
N/A
N/A
N/A
N/A
N/A
N/A
Power Supply, USB Cable, Stylus pen, Vehicle cradle, Fabric case, Leather case, Screen Protector, Standard Battery, Extended Battery,2 Slot Cradle, 8Slot Cradle, 2 Slot Ethernet Cradle, 8Slot Ethernet Cradle, Scanning Trigger

OX10-1G

1GHz
Windows Embedded Handheld 6.5 Windows CE 6.0
512MB / 4GB
78.6 x 165.5 x 24.9 mm 78.6 x 165.5 x 40.2mm(with HF) 78.6 x 165.5 x 38.9mm (with UHF)
332g / 11.7oz. , 362g / 12.7oz. (with HF) 389g / 13.7oz. (with UHF)*
3.5" VGA (480*640) QVGA (240*320)
Resistive touch
Li-Ion 3.7V, 3,300mAh N/A
O
Micro SD
1 SIM / 2SAM
31 Key Alpha Numeric, 4 Side Key 50 Key Qwerty, 4 Side Key
VOLUME / SCAN /CAM
UMTS/HSPA+ GSM/GPRS/EDGE
AGPS, GLONASS
802.11 a/b/g/n
Class II v2.1 with EDR
O
1D/2D
Rear - 5 MP Auto Focus
HF: ISO 14443 A/B, ISO 15693, ISO 18000-3, I-CODE, UHF: EPC C1 G2
-20 to 60 °C / -4 to 140 °F
- 30 to 80°C / - 22 to 176°F
93% non-condensing
1.5m / 5ft
1,000 1.6ft./0.5m tumbles (2,000 drops)
IP65
N/A
N/A
N/A
N/A
N/A
N/A
Power Supply, USB Cable, Stylus pen, Vehicle cradle, Screen Protector, Standard Battery, 2 Slot Cradle, 8Slot Cradle, Scanning Trigger, UHF Gun Reader

SPEED IS POWER
M3



M3 UL20 Series

Full Touch Ultra Rugged Computer

Android 8.1

2.2GHz Octa core CPU

Fast charging / Battery Hot Swap

1D / 2D Imager, Long range Scanner

16.0MP Auto Focus Camera



Full HD Display

With large high visibility color display, Full HD screen enables stable business. That is highly visible both indoors and outdoors.



Keypad (35 keys plus Function key)

For maximum efficiency, physical keyboards are available. M3 UL20 includes 35key Alpha Numeric key. Each features an easy-to-use ergonomic design and Function keys are installed for fast operation in the field.



IP67 sealing, 2.0m drop

IP67 dust / water proof withstands 2.0m drops. Device can be used in harsh environments.



Li-ion, 3.6V, 6,700mAh

The large capacity 6700mAh battery makes it suitable for long shifts where charging of the device is very limited.



Specification

	UL20X	UL20F	UL20W
DIMENSION (W x H x D)	88.7 mm x 244.75 mm x 46.19 mm		
WEIGHT	580 g		
DISPLAY	5 in. FHD (Full High Defini-tion) (1920X1080) Outdoor view-able		
TOUCH	Capacitive touch, Glove / Wet / Pen touch		
BATTERY	Li-ion 3.6 V 6,700 mA		
POWER MANAGEMENT	Fast Charging / Battery Hot Swap		
SIM / SAM	2 SIM	N / A	
PHYSICAL KEYS	35-Key Alpha Numeric+Function key pad and 6 Side key		
PROCESSOR	2.2 GHz Octa-core processor		2.0 GHz Octa-core processor
OS	Android 8.1		
MEMORY	4 GB RAM, 32 GB ROM		2 GB RAM, 16 GB ROM
INTERFACE	USB C type via Snap on, Cradle		
SENSORS	Gyro, Ambient light, Accelerometer, Magnetic		
WWAN	GSM : B3, B5, B8 WCDMA : B1, B5, B8 TDD-LTE : B38, B40, B41 FDD-LTE : B1, B3, B5, B7, B8, B20	N / A	
WLAN	IEEE 802.11 a / b / g / n / ac 2.4G&5GHz		
BLUETOOTH	Bluetooth Class II 4.1 LE		
GPS	A-GPS, GLONASS, Beidou, Galileo	N / A	
SCANNER	2D Imager (N660X) Long range (SE4850)		
CAMERA	16.0 M (Rear) LED Flash		13.0 M (Rear) LED Flash
RFID	NFC (13.56MHz) Peer-to-peer, card reader, card emulation ISO 14443 A / B, ISO 15693		
TEMPERATURE	Operating -20 °C to 60 °C (-4 °F to 140 °F) Storage -30 °C to 80 °C (-22 °F to 176 °F)	Operating -30 °C to 60 °C (-22 °F to 140 °F) Storage -40 °C to 80 °C (-40 °F to 176 °F)	Operating -20 °C to 60 °C (-4 °F to 140 °F) Storage -30 °C to 80 °C (-22 °F to 176 °F)
HUMIDITY	0% to 95% non-condensing		
DROP TEST	2.0 M		
IP RATING	IP67		

M3 UL20F

High Performance in coldest environments




Defogging makes vivid window


UL20 has automatic sensor to control temperature of screen and scanning window. When the temperature goes down, the sensor is working to keep moderate line which UL20 operates. The module smartly control LCD. Heating LCD stands alone even UL20 is on sleep status. Also, equipped battery endures low temperature.



UL20F Scanning window



-30°C



Endures in low temperature! (It applies for UL20F)

In cold warehouse, LCD and keypad working on the low temperature is essential. UL20 is upgraded as working under the -30°C by automatically controlling Heating LCD. It provides convenience to the user while reducing battery consumption.

M3 UL20W

Support WiFi Only Products

UL20W specializes in indoor working space where Wi-Fi is usually used. Reasonable UL20W will reduce your TCO (Total cost of ownership). Smooth operation indoors has benefit of free compatibility with many kinds of apps. Data communication between co-workers has no barriers if they're connected with Wi-Fi. Wireless communication is fast and stable as much as wired one.



M3 UL20 Series Accessory



2 slot charging cradle
Charging-only 2 slot cradle



Pistol grip
Scanning trigger



8 slot charging cradle
Charging-only 8 slot cradle



Snap on
USB Snap on type

※ The content is possible to addition or change



M3 SM15 Series

Rugged Mobile Computer with Full Touch Screen

Android 7.1 and 8.1
2.2GHz Octa core CPU
Fast charging / Battery Hot Swap
1D Laser, 2D Imager
16.0MP Auto Focus Camera
5in. FHD LCD (1920 x 1080)


Specification

	SM15X	SM15N	SM15W
DIMENSION (W x H x D)	76.4 x 154.8 x 21.6 mm (3.00 x 6.09 x 0.85 in)		
WEIGHT	Standard : 280 g (9.8 oz) , Extended : 340 g (11.9 oz)		
DISPLAY	5 in. FHD (Full High Definition) (1920X1080) Outdoor viewable	5 in. HD TFT LCD (1280 x 720) Outdoor viewable	
TOUCH	Capacitive touch, Glove / Wet / Pen		
BATTERY	Standard: Li-ion 3.8V 4,100mAh, Extended: Li-ion 3.8V 6,150mAh		
POWER MANAGEMENT	Fast Charging / Battery Hot Swap		
SIM / SAM	2 SIM or 1 SIM / 1 SAM		
PHYSICAL KEYS	Volume + / - key, Camera key, Power Key 2 Scanner keys (Left, Right), 4 Bottom Keys (Home, Back, menu, Enter (Scan))		
PROCESSOR	2.2 GHz Octa-core processor	2.0 GHz Octa-core processor	
OS	Android 7.1 and 8.1		
MEMORY	4 GB RAM, 32 GB ROM	2 GB RAM, 16 GB ROM	
INTERFACE	Docking connector: Micro USB		
SENSORS	Gyro Sensor / Proximity Sensor / Light Sensor		
WWAN	2G GSM / GPRS / EDGE (850 / 900 / 1800 MHz) 3.8G UMTS / HSPA+ (850 / 900 / 2100 MHz) 4G FDD LTE (800 / 850 / 900 / 1800 / 2100 / 2600 MHz)		N / A
WLAN	IEEE 802.11 a / b / g / n / ac		
BLUETOOTH	Bluetooth Class II 4.1 LE		
GPS	A-GPS, GLONASS, BEIDOU		N / A
SCANNER	1D Laser, 2D Imager		
CAMERA	Front: 5.0 MP Auto Focus Rear: 16.0 MP Auto Focus	Rear: 13.0 MP Auto Focus	
RFID	HF (NFC ISO 14443 A / B, ISO 15693), UHF (EPC C1 Gen2, ISO18000 6C via Snap on / Gun reader)		
TEMPERATURE	Operating : -20 to 60 °C / Storage : -30 to 80 °C		
HUMIDITY	0% to 95% non-condensing		
DROP TEST	1.2 M / 1.8 M (with protective boot)		
IP RATING	IP65		

Certifications



Key points



Unrivalled CPU performance

SM15X has 2.2Ghz 8 core AP which is 46% faster than other processors.



FHD (Full High Definition Display), High Sensitivity Touch

High capacity processing improves your business reliability. The SM15 has a high sensitivity touch panel which enables use with gloves and even in the wet.



Fast Charging and High Capacity Battery

SM15 has a fast charging function. Full charging time is just 3 hours.



Applications



Manufacturing



Retail



Public



Logistics



Construction



Meter reading

Key Features



5" FHD TFT LCD (1920 X 1080)



Fast Charging / Battery Hot Swap
Li-ion Battery 4100mAh / 6150mAh



Physical Key : Front 4 keys, Side 5 Keys



2.2 GHz Octa Core CPU



4GB RAM / 32GB ROM



IEEE 802.11 a/b/g/n/ac



1D Laser, 2D Imager



IP65 Sealing
1.8m drop



16.0MP Auto Focus Camera



HF(NFC), UHF



Wet-touch



Glove-touch



Pen-touch

M3 SM15 Series Accessory

Charging & Data Communication



2 slot charging cradle

Charging-only 2 slot cradle



8 slot charging cradle

Charging-only 8 slot cradle



Vehicle cradle

Charging only vehicle cradle



2 slot ethernet cradle

Charging and ethernet function included 2 slot cradle



8 slot ethernet cradle

Charging and ethernet function included 8 slot cradle



HDMI cradle

Screen mirroring between PC and SM15



USB Gender

USB Gender for charging only



USB Charging Snap on

Office, Vehicle both using



USB C-type Snap on

USB Type Charging & Data communication



USB Charging Snap on

USB / DC Type Charging & Data communication



UHF Snap on

UHF RFID snap on

Trigger



Contact with I/O Pin directly without wireless connection



Pistol grip
Scanning trigger



UHF gun reader
UHF RFID & Scanning Trigger

Up to 15m



Long range pistol grip
Long range scanning Trigger



Wearable




Wireless Headset(bluetooth)
CE, Low Temperature, BT4.0



Wired Headset
HD Voice, Noise Cancelling
Connect to wearable sled USB C-type Port

※ The appearance can be changed.



Wearable sled Arm band
SM15 Sled on the Arm



Wearable sled belt type
SM15 Sled on the wrist



Wearable ring trigger
SM15 Wearable Trigger with connection cable



SL10

SL10 K

M3 SL10 Series

Reasonable compact mobile computer

Android 8.x

1.5GHz Quad-core CPU

1D Laser, 2D Imager

8.0MP Auto Focus Camera



SL10

Specification

	SL10	SL10K
DIMENSION (W x H x D)	155.8 X 72 X 25 mm	
WEIGHT	260 g	
DISPLAY	5 in. HD	4.0" WVGA
TOUCH	Capacitive touch	
BATTERY	Li-ion 3.6 V 4,000 mA	Li-ion 3.6 V 4,300 mA
SIM / SAM	1 SIM	
PHYSICAL KEYS	4 key	17 key Alpha Numeric
PROCESSOR	1.5 GHz Quad-core processor	
OS	Android 8.X	
MEMORY	RAM 2G / ROM 16G	
INTERFACE	Micro USB	
WWAN	CMCC 5M: LTE 1 / 2 / 3 / 4 / 7 / 17 / 20 / 38 / 39 / 40 / 41 WCDMA 1 / 2 / 5 / 8 TD-SCDMA 34 / 39 GSM 2 / 3 / 5 / 8	
WLAN	IEEE 802.11 a / b / g / n	
BLUETOOTH	Bluetooth Class I 4.1 LE	
GPS	GPS, support: GLONASS	
SCANNER	2D Imager (SE4710)	
CAMERA	8 M (Rear) , LED Flash	
RFID	NFC (13.56MHz) Peer-to-peer, card reader, card emulation ISO 14443 A / B, ISO 15693	
TEMPERATURE	Operating -10°C to 50°C Storage -30°C to 70°C	
HUMIDITY	0% to 95% non-condensing	
DROP TEST	1.2 M	
IP RATING	IP65	

Certifications



Truly Handy and Pocketable mobile computer

SL10 series gives more for who want to build a truly automate mobile work-spaces with the modern conveniences of an all-touch smartphone and physical keypad to speed business agility.

Key points



SL10 K

Real-world practicality

Processor at 1.5 GHz delivers industry-leading performance and efficiency. 5.0" HD colour displays deliver sharpness and clarity for improved visibility-available in two options: high impact or high visibility.

Pocketable Android for professionals

Pocketable Android for professionals Balanced construction is perfectly weighted for comfort, practicality and natural task support. Similar as consumer android phone, SL10 Series are sure to be satisfying end-users. Slim and light weight reduces tiredness of workers.



M3 BK10(BLACK)

The New Premier Mobile Computer

Windows CE 6.0 / Windows Embedded Handheld 6.5

1.0GHz CPU

1D Laser, 2D Imager

5.0MP Auto Focus Camera

Specification

PHYSICAL CHARACTERISTICS	
DIMENSION (W x H x D)	75.3 x 165.8 x 26 mm (2.96 x 6.52 x 1.02 in.)
WEIGHT	336 g (11.8 oz)
DISPLAY	VGA (480 x 640) QVGA (240 x 320)
BATTERY	Type Smart Battery
	Standard Li-Polymer 3.7 V 3,400mAh
POWER MANAGEMENT	Extended Li-Polymer 3.7 V 5,100mAh
PERFORMANCE CHARACTERISTICS	
PROCESSOR	CPU 1GHz
OS	Windows Embedded Handheld 6.5
	Windows CE 6.0
MEMORY	RAM 512 MB
	ROM 8 GB
	Card Slot Micro SD
INTERFACE	USB 2.0 High Speed Host & Client
SENSORS	Light sensor, Gyro sensor
USER ENVIRONMENT	
TEMPERATURE	Operating -20 to 60°C / -4 to 140°F
HUMIDITY	Storing -30 to 80°C / -22 to 176°F
TUMBLE TEST	95% non-condensing
DROP TEST	6.6 ft. / 2.0 m
IP RATING	IP65

WIRELESS RADIO OPTIONS	
WWAN	2G GSM / GPRS / EDGE: Quad band (850 / 900 / 1800 / 1900 MHz)
	3.8G UMTS / HSPA+
WLAN	Standard : 280g (9.8oz) Extended : 340g (11.9oz)
SECURITY	WEP, WPA, WPA2, TKIP, AES, EAP-FAST, EAP-TLS, EAP-TTLS, PEAP-GTC, PEAP-TLS, PEAP-MMSCHAPv2, LEAP, CCXv4
BLUETOOTH	Class II, v2.1 with EDR
GPS	A-GPS, GLONASS
GENERAL OPTIONS	
SCANNER	1D Laser, 2D Imager
CAMERA	5.0 MP Auto Focus
KEYPAD	34 key Alpha Numeric
	53 Key QWERTY

Certifications



Pursuit of all-round excellence on a Mobile Computer, M3 Black

The user-friendly design combines with great performance to deliver in the harsh environments. The M3 BLACK has a user friendly design which is reliable and simple but very robust.

Key points



Ergonomic Design can reduce fatigue with repetitive scanning

Low angle (23 °) barcode scanner

Low angle scanner allows users to feel more comfortable during repetitive scanning operations in the fields. The design provides users the convenience to see the LCD screen when scanning which reduces physical tiredness of the wrists and eyes.



User Friendly design to locate the scan button by touch

Embossed scan buttons applied

Small bumps on the scan buttons at the front and side enables users to recognize and scan without a glance which reduces actual amount of time and increase efficiency. Button faces are placed on an angle to make pressing it more easier and comfortable.



Continue working, even in darkness

5.0MP camera with ultra flash

The 5.0MP Ultra flash helps users to use the camera even in the darkest of work surroundings. Data capturing and photographing in dark and harsh environments will be easily handled.



Functional design with stands heavy dropping

Rubber / Metal applied on case

Many things can happen during working hours, such as a drop. By applying anti-slip rubber, the device will not slip from your hands. If you drop the BK10, the metal frame can withstand multiple drops from up to 2 meters.



M3 OX10-1G

Top Rated Multi-Functional Handheld

1 GHz CPU

Windows CE 6.0 / Windows Embedded Handheld 6.5

HSPA+ / EDGE / GPRS / GSM

Integrated RFID Reader (HF / UHF)

Specification

PHYSICAL CHARACTERISTICS	
DIMENSION (W x H x D)	78.6 x 165.5 x 24.9 mm
	78.6 x 165.5 x 40.2 mm (with HF reader)
	78.6 x 165.5 x 38.9 mm (with UHF reader)
WEIGHT	332 g / 11.7 oz
	362 g / 12.7 oz (with HF reader)
	389 g / 13.7 oz (with UHF reader)
DISPLAY	VGA (480x640)
TOUCH	QVGA (240x320)
BATTERY	Li-Ion 3.7 V 3,300 mAh, Smart Battery
SIM / SAM	1 SAM / 2 SAM (optional)
PERFORMANCE CHARACTERISTICS	
PROCESSOR	CPU 1 GHz
OS	Windows Embedded Handheld 6.5
	Windows CE 6.0
MEMORY	RAM 512 GB
	ROM 4 GB
	Card Slot Micro SD
INTERFACE	USB Host 1.1 / Client 2.0
USER ENVIRONMENT	
TEMPERATURE	Operating -20 to 60°C / -4 to 122°F
HUMIDITY	Storing -30 to 70°C / -22 to 158°F
TUMBLE TEST	93% non-condensing
DROP TEST	1,000 1.6 ft. / 0.5 m
IP RATING	IP65

WIRELESS RADIO OPTION		
WWAN	2G	GSM / GPRS / EDGE: Quad band (850 / 900 / 1800 / 1900 MHz)
	3.8G	UMTS / HSPA+ : Five band (800 / 850 / AWS / 1900 / 2100 MHz)
WLAN	IEEE 802.11 a / b / g / n	
SECURITY	WEP, WPA, WPA2, TKIP, AES, EAP-FAST, EAP-TLS, EAP-TTLS, PEAP-GTC, PEAP-TLS, PEAP-MSCHAPv2, LEAP, CCXv4	
BLUETOOTH	Class II, V2.1 (With EDR)	
RFID	HF	ISO 14443 A / B, ISO 15693, ISO 18000-3, I-CODE)
	UHF	EPC C1 G2
GPS	AGPS, GLONASS	
GENERAL OPTIONS		
SCANNER	1D Laser, 2D Imager	
CAMERA	5.0MP Auto Focus camera	
KEYPAD	Alpha Numeric 31 Keys QWERTY 50keys (WM6.5 only)	

Certifications





Key points



Rugged design for superior reliability

M3 OX10-1G is suitable to use in a tough environment :
with stands drop from 1.5m and protects against dust and water.



Industry leading data capturing

1D, 2D, RFID (HF / UHF optional) options provide real-time data capture and automatic data processing so that you can expect flexibility of work and cost-efficiency.



Multi-function Keypads

Multi-functional keys of Qwerty keypads are designed for versatile performance. As hot keys, these are going to make direct access be possible and increase the user working speed.


M3 Service Package

FOCUS ON SERVICE TYPE YOU NEED

Category		Standard Warranty (Extended)	Service Package	Service Package (Extended)
Term		1 Year (1 year extension is able)	3 Years or 5 Years	1 Year or 2 Years
Manufacture Defect		O	O	O
Wear and Tear		X	O	O
Repair cost due to critical fault		X	O	O
Turnaround	time	5-7 Days	3 Days	3 Days
	cost	One way(M3)	M3	M3
Accidental Breakage		X	O	O
Online Technical Support		O	O	O

O: Free Coverage

Note: Please check for the latest information, including detailed contents and available service options.



CARRIAGE

Send the defective PDA with the printed Request Form
(Should have DOA# or RMA# indicated on the sheet) to below address:

Korea

M3 Mobile Headquarter Service center
Unit 604, 201 Chuni Technopark,
18 Buchen-ro 198 Beon-gil, Wonmi-gu,
Bucheon-si, Gyeonggi-do, 14557, Korea
Tel: +82-(0)2-574-0037
Email: peter.chae@m3mobile.co.kr
Attn: Peter Chae

Germany

Weilandt Elektronik GmbH
Carolus-Magnus-Str.12, 45356 Essen Germany
Tel: +49-(0)-201-10-99-81-61
Email: t.perplies@weilandt-elektronik.de
Attn: Tobias Perplies

UK

BIAS Technology Support LTD
7 Blackhill Road West, Holton Heath Trading Park,
Poole, Dorset, BH16 6LE, UK
Tel: +44-(0)-1202-620955
Email: gavind@biastechnology.com
Attn: Gavin Dalrymple

All EU Countries included Germany

JARLTECH Europe GmbH
Jarltech-Platz 1, 61250 Usingen Germany
Tel: +49-(0)-6081-600-303
Email: oliver.schulz@jarltech.de
Attn : Oliver Schulz

France

PRESTINFO MAINTENANCE
18, avenue de la ZAC de CHASSAGNES, TERNAY,
Lyon city, 69360, France
Tel: +33-(0)6-79-20-93-67
Email: Bertrand.Felix@prestinfo-maintenance.com
Attn: Bertrand Felix

MEMO

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.